

RELEASE NOTES

ClearSkies™

Endpoint Detection & Response (EDR)

Version 6.9 / March 2023

“Unlock the Intelligence of Your Data”



## Table of Contents

Overview.....	1
What's New in v6.9.....	1
Important Notes.....	1
New Features.....	2
Agent Uninstall.....	2
Enhancements.....	3
DHCP Support.....	3
Agent.....	3
Bug fixes.....	4

## Overview

This version release of ClearSkies™ EDR includes new features and enhancements which empower the detection, response, and thus visibility of cyber, insider and third-party threats by utilizing Behavioral Monitoring and Analysis (BMA) which leverages ClearSkies™ advanced security analytics and Threat Intelligence.

## What's New in v6.9

- **Host identification:** This enhancement provides to the user the ability to choose which asset identification option suitable for their environment.
- **Agent Uninstall:** This new feature provides to the user the ability to automate and schedule the uninstall process of the agent.
- **Other Enhancements:** Enriched user experience and functionality.

## Important Notes

Please refer to “New Features” and “Enhancements” sections for further information.

## New Features

### Agent Uninstall

- ClearSkies™ supports the agent uninstall of the endpoint through scheduling from the endpoint management portal module. The agent uninstall procedure removes all agent files, services and other dependencies from the system. In the portal the endpoint status is flagged as 'Uninstalled' and its data in the endpoint related modules remains visible for 30 days.

## Enhancements

### DHCP Support

#### DHCP Host Identifier

- ClearSkies™ uses the host identifier from the agent's policy configuration for asset creation and identification. The asset identifier configuration options are 'Hostname' and 'IP Address'. The default configuration 'Hostname' should be changed for older agent versions prior agent upgrade if the user decides not to migrate to new assets which use the endpoint's Hostname for asset creation.

## Agent

### Asset Deletion

- ClearSkies™ Endpoint disables the agent services responsible for logs gathering, heuristics and forwarding to the iCollector when the asset is deleted from the portal. The agent service responsible for receiving messages from iCollector remains active and restores the agent services to previous state when the asset is reinstated.

## Bug fixes

This version resolves a number of stability and performance issues identified.

